Cryogenic Vials

Innovation

for the long-term protection of your precious samples.



CryoClearTM Cryogenic Vials

EREE ATP-FREE

Discover CryoClear™ Cryogenic Vials.

You've spent days, months, even years getting your research and analysis to this point . . . don't risk losing your precious samples to something as simple as a problematic o-ring! Even the best o-rings can dislodge, deform or become brittle, resulting in sample loss and contamination.

CryoClear[™] cryogenic vials feature an innovative polyethylene (PE) screw cap that is co-molded with a layer of thermoplastic elastomer (TPE). This offers the benefit of giving exemplary sealing while helping eliminate the risk of contamination or sample loss associated with o-rings.

Store your samples with confidence using CryoClear[™] cryogenic vials: the best and most leak-resistant cryogenic vials available for long-term storage.





CryoClear™ vials are packaged in heavy-duty, tamper-proof, resealable bags of 50. They are available for purchase by the bag or case of 500.

Sample Integrity —

 Manufactured, assembled and packaged in an ISO 7 (Class 10,000) cleanroom. Meets FDA, GMP and ISO quality systems standards.

Sample Purity —

 Every lot of CryoClear[™] vials are independently certified to be free of Human DNA, DNase, RNase, Pyrogen and ATP.

Sample Traceability —

 Each lot is given a unique identification code to ensure your vials can be traced to the exact manufacturing date



Innovation to protect your precious samples.


Easy to reclaim — Color coded inserts are available to fit both internal and external caps for quick sample identification

Best sealing available — Innovative screw caps are produced from medical grade polyethylene (PE) co-molded with a thermoplastic elastomer (TPE) to provide an outstanding leak-resistant seal

Simple volume reference – Printed graduations for accurate measurements

Make your mark — Large writing surface for sample identification

Multiple options — Available with round bottoms and selfstanding as well as with internal and external thread caps




Automation-ready — Star shaped top cavity is engineered for use with automatic decapping equipment

Hassle-free — Slim profile external caps ensure better fit in standard racks and boxes

Highest quality plastics — Produced from medical grade raw materials that will not discolor after re-sterilizing

Archivable — Each vial includes a unique 1D barcode and matching humanreadable code for accurate sample identification

Compatible with prep tools — Use with Globe Scientific CryoClear[™] workstation rack and vial picker for fast, worry-free sample prep



CryoClear Cryogenic Vials

Internal Threaded Vials (shown actual size)

		Internal Thread Cap OD 12.50 mm				4.5 114 11	
				3.6 3 ml 2	3.5 3 mi 2 1		4.5 44 11 11 11 1
Order Number	3001	3002	3003	3004	3005	3006	3008
Volume	1 mL	2 mL	2 mL	4 mL	4 mL	5 mL	5 mL
Height*	42.8 mm	48.4 mm	47.2 mm	75.1 mm	76.4 mm	89.4 mm	90.5 mm
Vial O.D.	12.5 mm	12.5 mm	12.5 mm	12.5 mm	12.5 mm	12.5 mm	12.5 mm
Style	Self standing	Self standing			Self standing		Self standing
Bottom	Conical	Round	Round	Round	Round	Round	Round
Packaging 500/case, 10 bags of 50 vials (Also sold by the bag of 50)							

*Height with caps attached.

Tamper Evident, Resealable and Lot Traceable Packaging


All CryoClear™ cryogenic vials are sold in heavy-duty, tamper evident resealable plastic bags.

• 50 vials per bag, 10 bags per case

Heavy-duty, tamper evident resealable plastic bags

Each bag labeled with manufacture date and barcoded lot number for traceability





0	External OD 13.00	Thread Cap) mm				4,5
					3.6 3 1 1	2 1
Order Number	3010	3011	3012*	3013	3014	3015
Volume	1 mL	2 mL	2 mL	3 mL	4 mL	5 mL
Height*	41.5 mm	45.9 mm	47.0 mm	70.7 mm	75.1 mm	89.3 mm
Vial O.D.	12.5 mm	12.5 mm	12.5 mm	12.5 mm	12.5 mm	12.5 mm
Style	Self standing		Self standing	Self standing	Self standing	Self standing
Bottom	Conical	Round	Round	Round	Round	Round
Packaging	500/case, 10 bags of 5	50 vials (Also sold by the	bag of 50)			

*Height with caps attached.

*Item 3012 available with color-coded caps: 3012B (blue), 3012G (green), 3012R (red), 3012V (violet), 3012W (white) and 3012Y (yellow)



Cap Inserts


Cap inserts are available in assorted colors and are ideal for color coding and sample identification. The inserts snap easily into place on both internal and external caps.

• Polypropylene (PP) • Ideal for color coding samples

Item #	Description	Unit
30079A	Gray 🔵	1000
30079B	Blue 🔵	1000
30079G	Green	1000
30079N	Orange 🔴	1000
30079P	Pink 🛑	1000

Item #	Description	Unit
30079R	Red	1000
30079V	Violet 🔴	1000
30079W	White 🔘	1000
30079Y	Yellow	1000
30079AST	Assorted	600

BIOBOXTM Plastic Storage Boxes



BioBOX[™] Storage Boxes with Transparent Lids

Produced from polycarbonate (PC), these storage boxes are designed to withstand temperatures of -196°C to +121°C. The boxes are available in 25-place, 81-place and 100-place sizes and are available in assorted colors.

- Polycarbonate (PC)
- Temperature range: -196°C to +121°C
- · Frosted writing area for smear-resistant marking
- Printed numerical grid for easy sample identification
- Transparent lid for viewing contents
- Each box features two angled corners to guarantee proper alignment of the grid
- Autoclavable at 121°C, 15 psig (1 bar) for 20 minutes
- · Boxes have vent holes for drainage and rapid freezing
- Fits in stainless steel freezer racks
- A plastic vial picker (item #30078) is supplied with each BioBox™

BioBoxes for 1 & 2mL Vials

Item #	Description	Dimensions (L x W x H)	Unit
3039B	25-place (5x5), blue	76 x 76 x 52mm	8
3039G	25-place (5x5), green	76 x 76 x 52mm	8
3039R	25-place (5x5), red	76 x 76 x 52mm	8
3039Y	25-place (5x5), yellow	76 x 76 x 52mm	8
3040B	81-place (9x9), blue	132 x 132 x 52mm	5
3040G	81-place (9x9), green	132 x 132 x 52mm	5
3040R	81-place (9x9), red	132 x 132 x 52mm	5
3040Y	81-place (9x9), yellow	132 x 132 x 52mm	5
3050B	100-place (10x10), blue	132 x 132 x 52mm	5
3050G	100-place (10x10), green	132 x 132 x 52mm	5
3050R	100-place (10x10), red	132 x 132 x 52mm	5
3050W	100-place (10x10), white	132 x 132 x 52mm	5
3050Y	100-place (10x10), yellow	132 x 132 x 52mm	5

BioBoxes for 3, 4 & 5mL External & 5mL Internal Vials

Item #	Description	Dimensions (L x W x H)	Unit
3042B	81-place (9x9), blue	132 x 132 x 94mm	4
3042G	81-place (9x9), green	132 x 132 x 94mm	4
3042R	81-place (9x9), red	132 x 132 x 94mm	4
3042Y	81-place (9x9), yellow	132 x 132 x 94mm	4



Vial Picker

For the safe and convenient removal of frozen vials from storage boxes.

• Thermoplastic elastomer (TPE)

Item #	Color	Unit
30078	Blue	10


Cardboard Storage Boxes

These economical boxes are designed for the long term storage of cryogenic vials in freezer rack systems. They have a liquid-resistant outer coating.

- · Heavy-duty cardboard
- Temperature range: -196°C to +121°C
- Fits in stainless steel freezer racks

Additional colors available by special order.

Vial Picker/Storage Boxes/ Workstation Racks



Storage Box for 2" Tall Vials

Dimensions: 134 x 134 x 47mm

Item #	Description	Units
3090	64 place (8x8), white, for up to 2" tall x 15mm wide vials	Each & 96
3091	81 place (9x9), white, for up to 2" tall x 13mm wide vials	Each & 96

Storage Box for 3" Tall Vials

Anti-slip rubber feet

hold workstation

in place while


removing caps

Dimensions: 134 x 134 x 76mm				
Item #	Description	Units		
3094	64 place (8x8), white, for up to 3" tall x 15mm wide vials	Each & 48		
3094Y	64 place (8x8), yellow, for up to 3" tall x 15mm wide vials	Each & 48		
3095	81 place (9x9), white, for up to 3" tall x 13mm wide vials	Each & 48		

Workstation Racks

Globe workstations accommodate both round bottom and self-standing CryoClear[™] cryogenic vials. The self-standing vials lock into the rack for easy one-handed opening and closing of caps.

- 40-Place (10 x 4 format)
- Polycarbonate (PC)
- Anti-slip rubber feet
- Autoclavable at 121°C, 15 psig (1 bar) for 20 minutes
- Temperature range: -196°C to +121°C
- Dimensions: 215 x 100 x 25mm



Self-standing vials lock into workstation

echnical Specifications/ Product Certifications

Technical Specifications

Material: Tube:Medical/FDA PCap:Medical/FDA PSterilization:Beta radiationSAL level:10-6Autoclavable:Tubes and capTemperature range:-196° to +121Mold release agents:None used in rMaximum psi:14.5 psiMaximum centrifugation speed:17530 xg (To of the second seco

Medical/FDA Polypropylene (PP) Medical/FDA Polyethylene (PE) co-molded with a thermoplastic elastomer (TPE) layer Beta radiation 10⁻⁶ Tubes and caps -196° to +121°C None used in manufacturing 14.5 psi 17530 xg (To obtain RPM, verify the diameter of the centrifuge and convert)

For use in the vapor phase of liquid nitrogen. WARNING - DO NOT USE CRYOCLEAR™ VIALS IN THE LIQUID PHASE OF LIQUID NITROGEN.

Printing on the tubes is resistant to the following common laboratory chemicals:

Isopropyl alcohol:	5-100%
Butanol:	100%
DMSO:	10-20%
Bleach:	5%
Acetic acid:	10%
Hydrochloric acids:	10%
NaOH:	10%



Product Certificatons

Manufacturing environment:

Material:

CONEG: Sterilization: DNase, RNase and pyrogen free: Human DNA and ATP free: Non-cytotoxic: Non-hemolytic: In vitro Diagnostic Medical Device:

> Leak proof: IATA (International Air Transportation Association):

Produced, assembled and packaged in a ISO 7 cleanroom (Class 10,000) in accordance with quality guidelines ISO 13485:2004, ISO 14644, ISO 14698 (Federal Standard 209), ISO 14000 and ISO 18000 Virgin raw materials are tested according to the "United States Pharmacopia" (USP) and with the "drug master file" (DMF) at the FDA, certified under USP Class VI This product meets CONEG requirements and therefore does not contain heavy metals in the color concentrate Sterilzed in accordance with EN ISO 11137

Every lot is certified* by an independent laboratory to be free of DNase, RNase and pyrogens

Every lot is certified* by an independent laboratory to be free of Human DNA and ATP

This product is certified* to be free of cytotoxins

This product is certified* to be free of articles causing hemolysis

Complies with Directive 98/79/EC of the European Parliament and the Council of 27 October 1998 on in vitro diagnostic medical devices

Tubes are certified leak proof at a pressure of 95 kPa (0.95 bar, 14.5 psi) by applying a closure force of not less than 8 cNm Can be used as a primary receptacle for the transport of diagnostic specimens as outlined by the IATA Dangerous Goods Regulations, Part 6.3,5

*Certificate of Analysis available upon request.

Distributed by:



www.globescientific.com

Globe Scientific

400 Corporate Drive • Mahwah, NJ 07430 • USA

Customer service, sales and technical support:

 Phone
 1 (800) 394-4562 • 1 (201) 599-1400

 Fax
 1 (201) 599-1406

 E-mail
 mail@globescientific.com