

# GBB-Series Portable Precision Balances



GBB Series Balances offer simple, reliable weighing operation in an economical, compact, portable platform.

A backlit LCD screen, stainless steel weigh pan, and a rugged housing mean these balances are built to endure all sorts of challenges from industrial use to educational labs.

#### Features:

- **Portability:** GBB Series balances come with a 9V AC power supply, or insert six AA batteries (not included) for location independent weighing.
- **Simple Operation:** With only four dedicated keys, GBB Series balances are ideal for quick, convenient weighing applications.
- **Versatility:** Compact form factor, portability, and readability as low as 0.001 g means that GBB-Series balances can fill various roles in all types of dynamic laboratories.
- **Premium Build Quality:** GBB-Series balances come with stainless steel weigh pans, and a housing that is designed to endure the most challenging environments from teaching labs to industrial use.
- **Economical:** When operating on a limited budget, GBB-Series balances offer accuracy and reliability at an incredible value.
- **5-Year Replacement Guarantee:** Long term support enables you to purchase with confidence.

\*\*Visit [www.globescientific.com](http://www.globescientific.com) for full details.



Globe Scientific also offers a complete line of calibration weights to compliment our balances. Visit [globescientific.com](http://globescientific.com) to see the full selection.

# Portable Precision Balances



Visit [www.globescientific.com](http://www.globescientific.com) to see our full selection of balances and use the handy selection guide to help you find the best balance for your particular application.

## SPECIFICATIONS & ORDERING INFORMATION

Item #	GBB-123	GBB-502	GBB-1501	GBB-3001	GBB-6000
Item # (with Cal. Cert.)*	GBB-123-CT	GBB-502-CT	GBB-1501-CT	GBB-3001-CT	GBB-6000-CT
Maximum capacity	120 g	500 g	1500 g	3000 g	6000 g
Readability	0.001 g	0.01 g	0.05 g	0.1 g	1 g
Linearity	0.003 g	0.02 g	0.1 g	0.2 g	2 g
Repeatability	0.001 g	0.01 g	0.05 g	0.1 g	1 g
Calibration Type	External				
Stabilization time	3 s		3 s		
Pan Size	90 mm		145 x 145 mm		
Device Dimensions	225 x 177 x 70 mm		225 x 177 x 157 mm		

\*ISO 17025:2017 Accredited Calibration Certificates are available upon request.

## Also Available...

# Weighing Boats & Dishes

A complete selection of premium weighing boats and dishes for a wide range of applications.



Scan the code to explore our full line of weighing boats and dishes. Or visit [globescientific.com](http://globescientific.com)

[www.globescientific.com](http://www.globescientific.com)

### Customer Service, Sales and Technical Support:

Phone 1 (800) 394-4562 • 1 (201) 599-1400

Fax 1 (201) 599-1406

E-mail [mail@globescientific.com](mailto:mail@globescientific.com)



©2022 Globe Scientific Inc. All rights reserved.

The Globe Scientific logo is a registered trademark of Globe Scientific Inc.