

Technical Data Sheet

Rev. 23038

Page 1 of 1

Nexius Zoom Microscope Series

Item# ENZ-1703-P

Eyepieces

• Supplied with a pair of HWF10x/23mm eyepieces.

Head

■ Trinocular head with 45° inclined tubes. Both eyepieces with +/-5 diopter adjustments. Interpupillary distance adjustable between 54mm and 75mm. Fixed light patch beamsplitter (50:50). The photo port is of Ø23.2mm

Objectives

 Supplied with 1:8.4 plan achromatic zoom objective with 0.65x to 5.5x providing a total magnification 6.5x to 55x, with a field of view from 35.4mm to 4.2mm and working distance 110mm.

All optics are anti-fungus treated and anti-reflection coated for maximum light throughput.

Stand

 This model comes with a P (plain) type stand with integrated illumination system for incident and transmitted.

Illumination

The 3W LED illuminators operate on an internal power supply of 100-240VAC. Both illuminations can be used simultaneously or separately, same as the light intensities that can be adjusted separately.

APL (Antimicrobial Protection Layer)

 APL is a revolutionary paint treatment applied to the most critical parts of our products. A microscope with APL will help restrict the growth of micro-organisms, including bacteria and mold.

Package Content

 Supplied with power cord, dust cover, a spare fuse and user manual. All packed in a polystyrene box.





Customer service, sales and technical support:

Phone 1 (800) 394-4562 • 1 (201) 599-1400

Fax 1 (201) 599-1406 E-mail mail@globescientific.com