

Technical Data Sheet

Rev. 23038

Page 1 of 1

Oxion Microscope Series

Item# EOX-2053-PLPH Inverted Microscope

Evepieces

■ Pair of DIN HWF plan 10x/22mm eyepieces.

Head

 Trinocular 45° inclined tubes with extended low and high positions. One diopter adjustment on left eyepiece.
Interpupillary distance of 54 to 75mm. Trinocular head with light path selector 100:0/0:100.

Nosepiece

• Revolving quintuple (5) nosepiece on ball-bearings.

Objectives

- Infinity color corrected long working distance (LWD) PLAN PHASE
- PLPH 10x/0.25 WD 7.94mm
- PLPH 20x/0.40 WD 6.92mm
- PLPH 40x/0.60 WD 2.74mm

All optics have an anti-reflection coating for maximum light throughout and are anti-fungus treated.

Stage

- Stage 250 x 230 mm equipped with a coaxial mechanical 120 x 78mm X-Y stage, delivered with:
 - metallic insert for Ø 35mm cell culture dish dishes
 - 76 x 26mm slide holder
 - glass insert with hole

Condenser

 N.A. 0.30 condenser with iris diaphragm. Working distance 72mm. Includes a phase slider for 4x/10x and 20x/40x precentered phase rings.

Focusing

 Coaxial 25mm coarse and fine adjustments, 2µm precision and with friction adjustment.



Illumination

 Transmitted 5W LED Intensity adjustable with internal 100-240VAC power supply. Fuse holder 3.15A / 250VAC.

Filters For Phase Contrast Models

• Interference filter 550mm green and blue, 45mm diameter as well as centering telescope.

Package Content

 Supplied with power cord, dust cover and user manual. Phase contrast models are supplied with green filter and alignment telescope. Metal transport case included.



Customer service, sales and technical support:

Phone 1 (800) 394-4562 • 1 (201) 599-1400

Fax 1 (201) 599-1406 E-mail mail@globescientific.com 400 Corporate Drive • Mahwah NJ 07430